

Letter Requesting Additional Documentation For Student Identified As Having A Severe Food Allergy

Dear F	Parent or Guardian:
require to auth	has a severe food allergy. The District and allergy and allergy and allergy and allergy and allergy and allerge to take necessary precautions for the student's safety and norize treatment of the student in the event of an allergic reaction at school or at a school activity. Attached to this letter are the following forms:
1.	Food Allergy & Anaphylaxis Emergency Care Plan ("FARE" form)*;
2.	LTISD Food and Nutrition Services Food Allergy/Intolerance Notification*;
3.	Self-Carry/Administration of Medication Authorization*;
4.	Request for Medication Administration; and
5.	Release/Consent to Request Medical Information.
return docum	noted with an asterisk must be completed and signed by an MD, DO, NP, or APRN. Please these forms to your school nurse as soon as possible. Any additional information of nentation that will help assist the campus in recognizing the signs and symptoms of any ylactic reaction that your student might experience is also greatly appreciated.
Sincer	ely,
Nurse	
Camp	us



FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN

Name: D	0.0.B.:	PLACE PICTURE
Allergy to:		HERE
Weight:Ibs. Asthma: [] Yes (higher risk for a severe reaction)	[] No	

NOTE: Do not depend on antihistamines or inhalers (bronchodilators) to treat a severe reaction. USE EPINEPHRINE.

Extremely reactive to the following allergens:
THEREFORE:
[] If checked, give epinephrine immediately if the allergen was LIKELY eaten, for ANY symptoms.
[] If checked give eninenhrine immediately if the allergen was DEFINITELY eaten, even if no symptoms are apparent

FOR ANY OF THE FOLLOWING:

SEVERE SYMPTOMS



Shortness of breath, wheezing, skin, faintness, repetitive cough



HEART

Pale or bluish weak pulse, dizziness



THROAT

Tight or hoarse throat, trouble breathing or swallowing



MOUTH

Significant swelling of the tongue or lips



Many hives over body, widespread redness



Repetitive vomiting, severe diarrhea



Feeling something bad is about to happen,



OTHER

anxiety, confusion



of symptoms from different body areas.





亇

INJECT EPINEPHRINE IMMEDIATELY.

- 2. **Call 911.** Tell emergency dispatcher the person is having anaphylaxis and may need epinephrine when emergency responders arrive.
- Consider giving additional medications following epinephrine:
 - Antihistamine
 - Inhaler (bronchodilator) if wheezing
- Lay the person flat, raise legs and keep warm. If breathing is difficult or they are vomiting, let them sit up or lie on their side.
- If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose.
- Alert emergency contacts.
- Transport patient to ER, even if symptoms resolve. Patient should remain in ER for at least 4 hours because symptoms may return.

MILD SYMPTOMS









NOSE

Itchy or runny nose, sneezing

Itchy mouth A few hives. mild itch

Mild

nausea or discomfort

FOR MILD SYMPTOMS FROM MORE THAN ONE SYSTEM AREA, GIVE EPINEPHRINE.

FOR **MILD SYMPTOMS** FROM **A SINGLE SYSTEM** AREA. FOLLOW THE DIRECTIONS BELOW:

- 1. Antihistamines may be given, if ordered by a healthcare provider.
- 2. Stay with the person; alert emergency contacts.
- 3. Watch closely for changes. If symptoms worsen, give epinephrine.

MEDICATIONS/DOSES

Epinephrine Brand or Generic:			
Epinephrine Dose: [] 0.15 mg IM [] 0.3 mg IM			
Antihistamine Brand or Generic:			
Antihistamine Dose:			
Other (e.g., inhaler-bronchodilator if wheezing):			



FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN


HOW TO USE AUVI-Q® (EPINEPHRINE INJECTION, USP), KALEO

- 1. Remove Auvi-Q from the outer case.
- 2. Pull off red safety guard.
- 3. Place black end of Auvi-Q against the middle of the outer thigh.
- 4. Press firmly, and hold in place for 5 seconds.
- 5. Call 911 and get emergency medical help right away.

55 Seconds 10 15


HOW TO USE EPIPEN® AND EPIPEN JR® (EPINEPHRINE) AUTO-INJECTOR, MYLAN

- 1. Remove the EpiPen® or EpiPen Jr® Auto-Injector from the clear carrier tube.
- 2. Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward.
- 3. With your other hand, remove the blue safety release by pulling straight up.
- 4. Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'.
- 5. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- 6. Remove and massage the injection area for 10 seconds.
- 7. Call 911 and get emergency medical help right away.



HOW TO USE EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF EPIPEN®), USP AUTO-INJECTOR, MYLAN

- 1. Remove the epinephrine auto-injector from the clear carrier tube.
- 2. Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward.
- 3. With your other hand, remove the blue safety release by pulling straight up.
- 4. Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'.
- 5. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- 6. Remove and massage the injection area for 10 seconds.
- 7. Call 911 and get emergency medical help right away.



HOW TO USE IMPAX EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF ADRENACLICK®), USP AUTO-INJECTOR, IMPAX LABORATORIES

- 1. Remove epinephrine auto-injector from its protective carrying case.
- 2. Pull off both blue end caps: you will now see a red tip.
- 3. Grasp the auto-injector in your fist with the red tip pointing downward.
- 4. Put the red tip against the middle of the outer thigh at a 90-degree angle, perpendicular to the thigh.
- 5. Press down hard and hold firmly against the thigh for approximately 10 seconds.
- 6. Remove and massage the area for 10 seconds.
- 7. Call 911 and get emergency medical help right away.

5 Push 10 sec

ADMINISTRATION AND SAFETY INFORMATION FOR ALL AUTO-INJECTORS:

- 1. Do not put your thumb, fingers or hand over the tip of the auto-injector or inject into any body part other than mid-outer thigh. In case of accidental injection, go immediately to the nearest emergency room.
- 2. If administering to a young child, hold their leg firmly in place before and during injection to prevent injuries.
- 3. Epinephrine can be injected through clothing if needed.
- 4. Call 911 immediately after injection.

OTHER DIRECTIONS/INFORMATION (may self-carry epinephrine, may self-administer epinephrine, etc.):

Treat the person before calling emergency contacts. The first signs of a reaction can be mild, but symptoms can worsen quickly.

EMERGENCY CONTACTS — CALI	L 911	OTHER EMERGENCY CONTACTS
RESCUE SQUAD:		NAME/RELATIONSHIP:
DOCTOR:	PHONE:	PHONE:
PARENT/GUARDIAN:	PHONE:	NAME/RELATIONSHIP:
		PHONE:

Lake Travis ISD Food and Nutrition Services

Food Allergy/Intolerance Notification

Part A: to be completed by parent/guardian			
Student Name:	DOB: Student ID:		
	Campus: Grade:		
Printed Parent/Guardian Name:	Phone Number:		
	Email Address:		
Part B: MUST be completed by MD, DO, NP, AP All questions must be answered for any diet modifi		in school meals.	
1. Does the child have a disability recog	nized by the Americans with Disabil ☐ Yes ☐ No	ities Act?	
2. If the child does NOT have a disability, does the child have a food allergy or intolerance that results in an anaphylactic or adverse reaction when exposed to that specific food? ☐ Yes ☐ No			
3. Please identify the disability, food allergy, or intolerance & describe the major life activities affected.			
4. Check all foods that affect the child: □ Dairy □ Peanuts □ Tree Nuts □ Eggs □ Wheat/Gluten □ Soy □ Fish □ Shellfish □ Seeds (specify) □ Other:			
5. Please describe meal accommodation to be made: (foods to be omitted or substituted)			
Physician's Printed Name or Stamp	Physician's Signature	Date	
1 hysician 31 tinted Name of Stamp	- Hysician s Olynature	Date	
By submitting this form, you are giving consent for LTISD FANS to consult with the child's MD, DO, NP, or APRN about this condition: If you do NOT want LTISD FANS to contact the medical office, initial here			
I have read the above orders and agree with this plan of	or care for thy child.		
Parent Signature	Date		

Notice: Information regarding Lake Travis ISD FANS Food Allergy Process & Information can be found on the Food and Nutrition Services website (https://www.ltisdschools.org/foodallergy) Parents may omit food allergens or severity by way of written consent; any additions or increases in severity of allergy must be amended by MD, DO, NP, or APRN with a new form. This page will go to campus nurse then scanned and emailed to Food and Nutrition Services.

Updated: 03/09/20



Self-Carry/Administration of Medication Authorization

Side effects to be noted/reported: _	
Other recommendations:	

Timing /Indication for administration of medication:

Dates of administration: From to (not to exceed one school year)

IN MY OPINION, THIS STUDENT SHOWS CAPABILITY TO CARRY AND SELF-ADMINISTER THE ABOVE MEDICATION.

Physician:	Telephone(s):
Physician's Signature:	Date:

Parent/Guardian Authorization

I request that my child, named above, be permitted to carry and/or self-administer the above ordered medication. I take responsibility for this permission. I understand that the medication must be in the original pharmacy container, labeled with the name of the student, prescribing health care provider, the medication name, date of the original prescription, strength and dosage of the medication, and directions for use. No more than a 30 day supply of the medication will be kept at school. This medication will be destroyed unless picked up within one week after the end of the school year or the end of the medical order.

Parent Signature:		Date:
Student Signature	·	Date:

Principal/School Nurse Approvals

We accept the parent request and physician statement above. We will permit/assist the student to be responsible with this self-carry medication, but reserve the right to withdraw the privilege if student shows signs of irresponsibility, or if there is a reported safety risk. In the event that a safety risk has been determined, the administration will contact parent/guardian as soon as possible.

School Nurse's Signature	::	Date:
Principal's Signature:		Date:



Request for Medication Administration

Student: DO	B Grade:		Campus: _			
Medication:	Do	se:				
Take medication: □ by mouth □ via inhaler □ topical (cream) □ injection □ other						
Condition for which medication is given:						
To be given: □ Entire School Year - or - □ The	following dates:/	/_	to:	.//		
When: □ At the following time(s):	When: □ At the following time(s): or - □ As needed every hours					
Special considerations/side effects:						
For Daily Medications: Yes, please administer No, please do not seno	•					
Other medications taken at home: List any food or drug allergies:						
Must be signed by a physician for any of these reasons: □ prescription given more than 10 school days (daily medication) □ over-the-counter more than 5 consecutive days □ over-the-counter to be given at higher than labeled dose						
Parent/Guardian: I give permission for district personnel to administer medication to my child in accordance with Texas Education Agency and District policies. I also acknowledge that it is the parent/guardian responsibility to maintain medication supply. Unclaimed medication will be destroyed at the end of the school year.						
Signature:		Date:				
Printed Name:		Phone:				
Physician: I request that the student receive this medication during the school day as instructed above.						
Signature: Date:						
Printed Name:		Phone:				
School: Medication was received by:						
Signature:	Date:		Quantity Rece	eived:		
Printed Name:	Phone Ext.:		Expiration Da	te:		



Release/Consent to Request Medical Information

Date of Birth	Grade	Campus			
Please authorize the person confidential information reg		w to request specified records containing pove-named student.			
From: Lake Travis Independent	t	To:			
School District		Physician to whom the request is made			
Campus		Phone number			
Address		Address			
City/State/Zip		City/State/Zip			
Fax		Fax			
Records to be released		Purpose of Disclosure			
□ Medical History		Develop an appropriate health care plan			
□ Physician's Orders□ On-going Communication		To clarify student's medical needs			
School Nurse		at: Phone Number			
School Nurse		Phone Number			
consent, as	•	and understand the school's request for my ove. This information will be requested upon nsent.			
□ Yes □ No I understand	that my cons	ent is voluntary and may be revoked at any time			
Parent/Guardian Signature		Date			
Parent/Guardian Printed Na	 me				